


FIG. 1



39 figs)

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

Figure 10 is a contour plot of a function  $h(x, y)$  on a square domain  $[-0.5, 0.5] \times [-0.5, 0.5]$ . The plot shows several nested contour lines, with values labeled on the inner contours. The axes are labeled from -0.5 to 0.5. The plot is symmetric about the origin. There are six boxes labeled with values  $10^{-3}$ ,  $10^{-4}$ ,  $10^{-5}$ ,  $10^{-6}$ ,  $10^{-7}$ , and  $10^{-2}$  positioned along the top and bottom edges of the plot area.




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29

29 -3 29 -4 29 -5 29 -2 29 -1




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39

